



Navigation



Extrusion 1-0-Wiki Pages

- [Main Page](#)
- [Best Papers](#)
- [Book Reviews](#)
- [Consultants Corner](#)
- [Extruder Software](#)
- [Extrusion Hints](#)
- [Safety](#)
- [Shop Tools](#)
- [Sponsors](#)
- [Technical Articles](#)

Search the Wiki

  [»](#)

Viewing/Creating

- [Random Page](#)
- [Create a new Page](#)
- [All Pages](#)
- [Categories](#)

Account Management

- [Login/Logout](#)
- [Language Selection](#)
- [Your Profile](#)
- [Create Account](#)

Administration

- [Administration](#)
- [File Management](#)

Brought to you by:

The SPE Extrusion Division
Board of Directors



No Service Call

Modified on Sunday, 01 February 2015 05:17 PM by [mpieler](#) Categorized as [Extrusion Hints](#) 
(10) » [Gauge Variation](#) » [Static Eliminator](#) » **No Service Call**

No Service Call
Vol. 18 #2, July 1991


Check your temperature controllers. Approximately 20% of my technical service calls are easily handled by insuring the controllers are doing their job.

Check for proper cooling and/or heating, blown fuses, blown heater bands, plugged cooling lines, or poorly placed thermocouples.

See also:

- [Seated TCs](#)
- [Temperature control](#)
- [Temperature controller calibration](#)
- [Thermocouple connections 1](#)

Return to [Extrusion Hints](#)

Some of the icons were created by [FamFamFam](#) .