



## Navigation



## Extrusion 1-0-Wiki Pages

- [Main Page](#)
- [Best Papers](#)
- [Book Reviews](#)
- [Consultants Corner](#)
- [Extruder Software](#)
- [Extrusion Hints](#)
- [Safety](#)
- [Shop Tools](#)
- [Sponsors](#)
- [Technical Articles](#)

## Search the Wiki

  »

## Viewing/Creating

- [Random Page](#)
- [Create a new Page](#)
- [All Pages](#)
- [Categories](#)

## Account Management

- [Login/Logout](#)
- [Language Selection](#)
- [Your Profile](#)
- [Create Account](#)

## Administration


- [Administration](#)
- [File Management](#)

## Brought to you by:

The SPE Extrusion Division  
Board of Directors



# Gas Compressor

Modified on Monday, 02 February 2015 01:24 PM by [mpieler](#) Categorized as [Extrusion Hints](#) 

[\(10\)](#) » [Vent Flow 2](#) » [Extruding Amorphous Materials 2](#) » [Gas Compressor](#)

Gas Compressor  
Vol. 27 #3, December 2000


Lower your electric bill and save money. Generating large volumes of compressed air is expensive. When planning your next compressor purchase, consider a natural gas fired engine driven compressor rather than an electric one. Although the initial cost of the gas engine may be substantially more, the energy cost savings over the first year of operation will surprise you.

- Pete Stoughton, Conair

See also:

- [Removing polymer melt](#)

Return to [Extrusion Hints](#)

Some of the icons were created by [FamFamFam](#) .